

FW-BCU N&A Black Currant Flavor

Flavor West Manufacturing, LLC.

Version No: 1.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 2

Issue Date: **04/29/2021**Print Date: **04/29/2021**Initial Date: **04/29/2021**L.GHS.USA.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	FW-BCU N&A Black Currant Flavor
Synonyms	Not Available
Proper shipping name	Extracts, flavoring, liquid
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified	Use according to manufacturer's directions.
uses	Coo according to manufacturer of an octions.

Details of the manufacturer/importer

Registered company name	Flavor West Manufacturing, LLC.		
Address	29400 Hunco Way, Lake Elsinore CA 92530 United States		
Telephone	(951) 893-5120		
Fax	(714) 276-1621		
Website	www.FlavorWest.com		
Email	Flavor@FlavorWest.com		

Emergency telephone number

Association / Organisation	Chemwatch			
Emergency telephone numbers	see below			
Other emergency telephone numbers	see below			

CHEMWATCH EMERGENCY RESPONSE

Primary Number	Alternative Number 1	Alternative Number 2
877 715 9305	+612 9186 1132	Not Available

Once connected and if the message is not in your prefered language then please dial 01

Una vez conectado y si el mensaje no está en su idioma preferido, por favor marque 02

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

 Version No: 1.1
 Page 2 of 11
 Issue Date: 04/29/2021

 Print Date: 04/29/2021
 Print Date: 04/29/2021

FW-BCU N&A Black Currant Flavor



GHS Classification

Eye Irritation Category 2B, Flammable Liquid Category 3

Label elements

GHS label elements



SIGNAL WORD

WARNING

Hazard statement(s)

H320	Causes eye irritation
H226	Flammable liquid and vapour

Precautionary statement(s) Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
P233	Keep container tightly closed.		
P240	Ground/bond container and receiving equipment.		
P241	Use explosion-proof electrical/ventilating/lighting/intrinsically safe equipment.		
P242	Use only non-sparking tools.		
P243	Take precautionary measures against static discharge.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		

Precautionary statement(s) Response

P370+P378	In case of fire: Use alcohol resistant foam or normal protein foam for extinction.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P337+P313	If eye irritation persists: Get medical advice/attention.		
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.		

Precautionary statement(s) Storage

P403+P235

Store in a well-ventilated place. Keep cool.

Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised chemical landfill or if organic to high temperature incineration

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
57-55-6	90-95	propylene glycol
123-92-2	1-5	iso-amyl acetate
539-90-2	1-5	isobutyl butyrate

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

 Version No: 1.1
 Page 3 of 11
 Issue Date: 04/29/2021

 Print Date: 04/29/2021
 Print Date: 04/29/2021

FW-BCU N&A Black Currant Flavor

SECTION 4 FIRST AID MEASURES

Description of first ai	d measures
Eye Contact	If this product comes in contact with the eyes: • Wash out immediately with fresh running water. • Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. • Seek medical attention without delay; if pain persists or recurs seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

- Polyethylene glycols are generally poorly absorbed orally and are mostly unchanged by the kidney.
- Dermal absorption can occur across damaged skin (e.g. through burns) leading to increased osmolality, anion gap metabolic acidosis, elevated calcium, low ionised calcium, CNS depression and renal failure.
- Treatment consists of supportive care.

[Ellenhorn and Barceloux: Medical Toxicology]

Propylene glycol is primarily a CNS depressant in large doses and may cause hypoglycaemia, lactic acidosis and seizures.

- The usual measures are supportive care and decontamination (Ipecac/ lavage/ activated charcoal/ cathartics), within 2 hours of exposure should suffice.
- Check the anion gap, arterial pH, renal function and glucose levels.

Ellenhorn and Barceloux: Medical Toxicology

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- ▶ Alcohol stable foam.
- ▶ Dry chemical powder.
- ▶ BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Advice for firefighters

Fire Fighting

- ▶ Alert Fire Brigade and tell them location and nature of hazard.
- ▶ May be violently or explosively reactive.
- ▶ Wear breathing apparatus plus protective gloves.
- ▶ Prevent, by any means available, spillage from entering drains or water course.

Fire/Explosion Hazard

- ▶ Liquid and vapour are flammable.
- ▶ Moderate fire hazard when exposed to heat or flame.
- Vapour forms an explosive mixture with air.

 Version No: 1.1
 Page 4 of 11
 Issue Date: 04/29/2021

 Print Date: 04/29/2021
 Print Date: 04/29/2021

FW-BCU N&A Black Currant Flavor

• Moderate explosion hazard when exposed to heat or flame.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills

- Remove all ignition sources.
- Clean up all spills immediately.
- · Avoid breathing vapours and contact with skin and eyes.
- Control personal contact with the substance, by using protective equipment.

Chemical Class: alcohols and glycols

For release onto land: recommended sorbents listed in order of priority.

SORBENT TYPE RANK APPLICATION COLLECTION LIMITATIONS
--

LAND SPILL - SMALL

cross-linked polymer - particulate	1	shovel	shovel	R, W, SS
cross-linked polymer - pillow	1	throw	pitchfork	R, DGC, RT
sorbent clay - particulate	2	shovel	shovel	R,I, P
wood fiber - pillow	3	throw	pitchfork	R, P, DGC, RT
treated wood fiber - pillow	3	throw	pitchfork	DGC, RT
foamed glass - pillow	4	throw	pichfork	R, P, DGC, RT

LAND SPILL - MEDIUM

Major Spills

cross-linked polymer - particulate	1	blower	skiploader	R,W, SS
polypropylene - particulate	2	blower	skiploader	W, SS, DGC
sorbent clay - particulate	2	blower	skiploader	R, I, W, P, DGC
polypropylene - mat	3	throw	skiploader	DGC, RT
expanded mineral - particulate	3	blower	skiploader	R, I, W, P, DGC
polyurethane - mat	4	throw	skiploader	DGC, RT

Legend

DGC: Not effective where ground cover is dense

R; Not reusable

I: Not incinerable

P: Effectiveness reduced when rainy

RT:Not effective where terrain is rugged

SS: Not for use within environmentally sensitive sites

W: Effectiveness reduced when windy

 $\label{lem:control} \textbf{Reference: Sorbents for Liquid Hazardous Substance Cleanup and Control;}$

R.W Melvold et al: Pollution Technology Review No. 150: Noyes Data Corporation 1988

- ▶ Clear area of personnel and move upwind.
- ▶ Alert Fire Brigade and tell them location and nature of hazard.
- ▶ May be violently or explosively reactive.

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling

- Containers, even those that have been emptied, may contain explosive vapours.
- ▶ Do NOT cut, drill, grind, weld or perform similar operations on or near containers.
- DO NOT allow clothing wet with material to stay in contact with skin
- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of overexposure occurs.

Other information

- Store in original containers in approved flammable liquid storage area.
- Store away from incompatible materials in a cool, dry, well-ventilated area.
- DO NOT store in pits, depressions, basements or areas where vapours may be trapped.
- ▶ No smoking, naked lights, heat or ignition sources.

Conditions for safe storage, including any incompatibilities

Suitable container

▶ Packing as supplied by manufacturer.

 Version No: 1.1
 Page 5 of 11
 Issue Date: 04/29/2021

 Print Date: 04/29/2021
 Print Date: 04/29/2021

FW-BCU N&A Black Currant Flavor

▶ Plastic containers may only be used if approved for flammable liquid.

Check that containers are clearly labelled and free from leaks.

▶ For low viscosity materials (i): Drums and jerry cans must be of the non-removable head type.

• Glycols and their ethers undergo violent decomposition in contact with 70% perchloric acid. This seems likely to involve formation of the glycol perchlorate esters (after scission of ethers) which are explosive, those of ethylene glycol and 3-chloro-1,2-propanediol being more powerful than glyceryl nitrate, and the former so sensitive that it explodes on addition of water.

Alcohols

Storage incompatibility

- are incompatible with strong acids, acid chlorides, acid anhydrides, oxidising and reducing agents.
- ▶ reacts, possibly violently, with alkaline metals and alkaline earth metals to produce hydrogen
- react with strong acids, strong caustics, aliphatic amines, isocyanates, acetaldehyde, benzoyl peroxide, chromic acid, chromium oxide, dialkylzincs, dichlorine oxide, ethylene oxide, hypochlorous acid, isopropyl chlorocarbonate, lithium tetrahydroaluminate, nitrogen dioxide, pentafluoroguanidine, phosphorus halides, phosphorus pentasulfide, tangerine oil, triethylaluminium, triisobutylaluminium
- ▶ should not be heated above 49 deg.

PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Levels (PELs) - Table Z1	iso-amyl acetate	Isoamyl acetate	525 mg/m3 / 100 ppm	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	iso-amyl acetate	Pentyl acetate, all isomers	50 ppm	100 ppm	Not Available	TLV® Basis: URT irr

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
propylene glycol	Propylene glycol; (1,2-Propanediol)	30 mg/m3	1300 mg/m3	7900 mg/m3
iso-amyl acetate	Isoamyl acetate; (Isopentyl acetate)	100 ppm	500 ppm	3000 ppm

Ingredient	Original IDLH	Revised IDLH
propylene glycol	Not Available	Not Available
iso-amyl acetate	3,000 ppm	1,000 ppm
isobutyl butyrate	Not Available	Not Available

MATERIAL DATA

For isoamyl acetate:

Odour Threshold Value: 0.0034-209.0 ppm (detection)

The TLV-TWA is thought to be protective against respiratory irritation. Human exposure at 1000 ppm isoamyl acetate for 0.5 hour, produced irritation, dyspnea, increased pulse and fatigue. Exposure to high concentrations is associated with oedema of the glottis. Severe throat irritation follows exposure to 200 ppm amyl acetate and slight throat discomfort occurs at 100 ppm.

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

Personal protection









 Version No: 1.1
 Page 6 of 11
 Issue Date: 04/29/2021

 Print Date: 04/29/2021
 Print Date: 04/29/2021

FW-BCU N&A Black Currant Flavor

Eye and face protection	 Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber NOTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.
Body protection	See Other protection below
Other protection	 Overalls. PVC Apron. PVC protective suit may be required if exposure severe. Eyewash unit.
Thermal hazards	Not Available

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

FW-BCU N&A Black Currant Flavor

Material	СРІ
BUTYL	С
NATURAL RUBBER	С
NEOPRENE	С
NITRILE	С
PE	С
PE/EVAL/PE	С
PVA	С
VITON	С

^{*} CPI - Chemwatch Performance Index

A: Best Selection

- B: Satisfactory; may degrade after 4 hours continuous immersion
- C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required.

Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 5 x ES	A-AUS / Class 1 P2	-	A-PAPR-AUS / Class 1 P2
up to 25 x ES	Air-line*	A-2 P2	A-PAPR-2 P2
up to 50 x ES	-	A-3 P2	-
50+ x ES	-	Air-line**	-

 $^{^{\}star}$ - Continuous-flow; $\ ^{\star\star}$ - Continuous-flow or positive pressure demand

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	clear		
Physical state	Liquid	Relative density (Water = 1)	.98
Odour	Characteristic	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available

^{^ -} Full-face

Version No: 1.1 Page **7** of **11** Issue Date: 04/29/2021 Print Date: 04/29/2021

FW-BCU N&A Black Currant Flavor

Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	45.39	Taste	black currant
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Flammable.	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce respiratory irritation (as classified by EC Directives using animal models). Nevertheless inhalation of vapours, fumes or aerosols, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress. Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by narcosis, reduced alertness, loss of reflexes, lack of coordination and vertigo.
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual. Ingestion of propylene glycol produced reversible central nervous system depression in humans following ingestion of 60 ml. Symptoms included increased heart-rate (tachycardia), excessive sweating (diaphoresis) and grand mal seizures in a 15 month child who ingested large doses (7.5 ml/day for 8 days) as an ingredient of vitamin preparation. Excessive repeated ingestions may cause hypoglycaemia (low levels of glucose in the blood stream) among susceptible individuals; this may result in muscular weakness, incoordination and mental confusion.
Skin Contact	Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. The material may produce moderate skin irritation; limited evidence or practical experience suggests, that the material either: • produces moderate inflammation of the skin in a substantial number of individuals following direct contact and/or • produces significant, but moderate, inflammation when applied to the healthy intact skin of animals (for up to four hours), such inflammation being present twenty-four hours or more after the end of the exposure period. Skin irritation may also be present after prolonged or repeated exposure; this may result in a form of contact dermatitis (nonallergic). The dermatitis is often characterised by skin redness (erythema) and swelling (oedema) which may progress to blistering (vesiculation), scaling and thickening of the epidermis.
Еуе	Limited evidence exists, or practical experience suggests, that the material may cause eye irritation in a substantial number of individuals and/or is expected to produce significant ocular lesions which are present twenty-four hours or more after instillation into the eye(s) of experimental animals. Repeated or prolonged eye contact may cause inflammation characterised by temporary redness (similar to windburn) of the conjunctiva (conjunctivitis); temporary impairment of vision and/or other transient eye damage/ulceration may occur. Irritation of the eyes may produce a heavy secretion of tears (lachrymation).
Chronic	There exists limited evidence that shows that skin contact with the material is capable either of inducing a sensitisation reaction in a significant number of individuals, and/or of producing positive response in experimental animals.

 Version No: 1.1
 Page 8 of 11
 Issue Date: 04/29/2021

 Print Date: 04/29/2021
 Print Date: 04/29/2021

FW-BCU N&A Black Currant Flavor

FW-BCU N&A Black Currant Flavor	TOXICITY	IRRITA		
Black Currant Flavor	Not Available	Not Av	vailable	
	TOXICITY	IRRITA	ATION	
	Dermal (rabbit) LD50: >2000 mg/kg ^[1]		rabbit): 100 mg - mild	
propylene glycol	Oral (rat) LD50: 20000 mg/kgd ^[2]		rabbit): 500 mg/24h - i	
propyrome grycon	Crar (rat) EBGG. EGGGG Highliga	- ' '	numan):104 mg/3d Inte	
		`	numan):500 mg/7days	
		'		
	TOXICITY			IRRITATION
iso-amyl acetate	Dermal (rabbit) LD50: >5000 mg/kg ^[1]			Nil reported
	Oral (rat) LD50: 16600 mg/kgd ^[2]			
	TOXICITY	IF	RRITATION	
isobutyl butyrate	Dermal (rabbit) LD50: >5000 mg/kg ^[2]	S	Skin (rabbit): 500 mg/2	24h - mild
	Oral (rat) LD50: >5000 mg/kgd ^[2]			
Legend:	Value obtained from Europe ECHA Registered Substa	ances - Acute to	oxicity 2.* Value obtain	ned from manufacturer's msds.
Legend:	Value obtained from Europe ECHA Registered Substruction Unless otherwise specified data extracted from RTECS No significant acute toxicological data identified in lite.	S - Register of To	oxic Effect of chemica	
Legend: FW-BCU N&A Black Currant Flavor	Unless otherwise specified data extracted from RTECS	erature search. , and large qual s only at plasma vould be nearly	ntities are required to	cause perceptible health 1 g/L, which requires extremely
FW-BCU N&A	Unless otherwise specified data extracted from RTECS No significant acute toxicological data identified in lite. The acute oral toxicity of propylene glycol is very low damage in humans. Serious toxicity generally occurs high intake over a relatively short period of time. It were to the state of the serious toxicity generally occurs to the serious toxicity generally general	erature search. If, and large quaits only at plasma If yould be nearly If or repeated exercised by skin rene spongy layer	ntities are required to a concentrations over impossible to reach to exposure and may producedness (erythema) and (spongiosis) and intra	a cause perceptible health 1 g/L, which requires extremely oxic levels by consuming foods duce a contact dermatitis ad swelling the epidermis. acellular oedema of the
FW-BCU N&A Black Currant Flavor	Unless otherwise specified data extracted from RTECS No significant acute toxicological data identified in lite. The acute oral toxicity of propylene glycol is very low damage in humans. Serious toxicity generally occurs high intake over a relatively short period of time. It we or supplements, which contain at most 1 g/kg of PG. The material may cause skin irritation after prolonged (nonallergic). This form of dermatitis is often character Histologically there may be intercellular oedema of the epidermis. The acute oral toxicity of propylene glycol is very low	erature search. If and large qual If on repeated exerised by skin re If and large qual If or repeated exerised by skin re If and large qual If or repeated exerised by skin re If and large qual If or repeated exerised by skin re	ntities are required to a concentrations over impossible to reach to edeness (erythema) and the edness (erythema) and intriduction are required to exposure and may produce and may produced the edness (erythema) and ednes	a cause perceptible health 1 g/L, which requires extremely oxic levels by consuming foods duce a contact dermatitis ad swelling the epidermis. acellular oedema of the cause perceptible health duce a contact dermatitis ad swelling epidermis.
FW-BCU N&A Black Currant Flavor	Unless otherwise specified data extracted from RTECS No significant acute toxicological data identified in lite. The acute oral toxicity of propylene glycol is very low damage in humans. Serious toxicity generally occurs high intake over a relatively short period of time. It we or supplements, which contain at most 1 g/kg of PG. The material may cause skin irritation after prolonged (nonallergic). This form of dermatitis is often character Histologically there may be intercellular oedema of the epidermis. The acute oral toxicity of propylene glycol is very low damage in humans. The material may cause skin irritation after prolonged (nonallergic). This form of dermatitis is often character Histologically there may be intercellular oedema of the	erature search. If and large qual If on repeated exerised by skin re If and large qual If or repeated exerised by skin re If and large qual If or repeated exerised by skin re If and large qual If or repeated exerised by skin re	ntities are required to a concentrations over impossible to reach to exposure and may producedness (erythema) and the entities are required to exposure and may producedness (erythema) and exposure and may producedness (erythema) and exposure and may producedness (erythema) and exposures and intra	a cause perceptible health 1 g/L, which requires extremely oxic levels by consuming foods duce a contact dermatitis ad swelling the epidermis. acellular oedema of the cause perceptible health duce a contact dermatitis ad swelling epidermis.
FW-BCU N&A Black Currant Flavor PROPYLENE GLYCOL ISOBUTYL BUTYRATE	Unless otherwise specified data extracted from RTECS No significant acute toxicological data identified in lite. The acute oral toxicity of propylene glycol is very low damage in humans. Serious toxicity generally occurs high intake over a relatively short period of time. It were or supplements, which contain at most 1 g/kg of PG. The material may cause skin irritation after prolonged (nonallergic). This form of dermatitis is often character Histologically there may be intercellular oedema of the epidermis. The acute oral toxicity of propylene glycol is very low damage in humans. The material may cause skin irritation after prolonged (nonallergic). This form of dermatitis is often character Histologically there may be intercellular oedema of the epidermis.	erature search. I, and large qual Is only at plasma Yould be nearly Id or repeated exerised by skin re The spongy layer Id or repeated exerised by skin re The spongy layer If or repeated exerised by skin re The spongy layer The spongy layer The spongy layer	ntities are required to a concentrations over impossible to reach to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and may producedness (erythema) and (spongiosis) and intrantities	a cause perceptible health 1 g/L, which requires extremely oxic levels by consuming foods duce a contact dermatitis ad swelling the epidermis. acellular oedema of the cause perceptible health duce a contact dermatitis ad swelling epidermis.
FW-BCU N&A Black Currant Flavor PROPYLENE GLYCOL ISOBUTYL BUTYRATE Acute Toxicity Skin	Unless otherwise specified data extracted from RTECS No significant acute toxicological data identified in lite. The acute oral toxicity of propylene glycol is very low damage in humans. Serious toxicity generally occurs high intake over a relatively short period of time. It were or supplements, which contain at most 1 g/kg of PG. The material may cause skin irritation after prolonged (nonallergic). This form of dermatitis is often character Histologically there may be intercellular oedema of the epidermis. The acute oral toxicity of propylene glycol is very low damage in humans. The material may cause skin irritation after prolonged (nonallergic). This form of dermatitis is often character Histologically there may be intercellular oedema of the epidermis.	erature search. A, and large quals S only at plasma yould be nearly d or repeated exerised by skin re the spongy layer A or repeated exerised by skin re the spongy layer Carcinogen Reproduct STOT - S	ntities are required to a concentrations over impossible to reach to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to ending the exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and may producedness (erythema) and (spongiosis) and intrantities are required to exposure and exp	a cause perceptible health 1 g/L, which requires extremely oxic levels by consuming foods duce a contact dermatitis ad swelling the epidermis. acellular oedema of the cause perceptible health duce a contact dermatitis ad swelling epidermis.
FW-BCU N&A Black Currant Flavor PROPYLENE GLYCOL ISOBUTYL BUTYRATE Acute Toxicity Skin Irritation/Corrosion Serious Eye	Unless otherwise specified data extracted from RTECS No significant acute toxicological data identified in lite. The acute oral toxicity of propylene glycol is very low damage in humans. Serious toxicity generally occurs high intake over a relatively short period of time. It were or supplements, which contain at most 1 g/kg of PG. The material may cause skin irritation after prolonged (nonallergic). This form of dermatitis is often character Histologically there may be intercellular oedema of the epidermis. The acute oral toxicity of propylene glycol is very low damage in humans. The material may cause skin irritation after prolonged (nonallergic). This form of dermatitis is often character Histologically there may be intercellular oedema of the epidermis.	erature search. It and large quality of or repeated exercised by skin reference spongy layer Carcinogen Reproduct STOT - SEXPO	ntities are required to a concentrations over impossible to reach to eddness (erythema) and to edness (erythema) and intractions over and may produce and may produced a required to edness (erythema) and edness (erythema)	a cause perceptible health 1 g/L, which requires extremely oxic levels by consuming foods duce a contact dermatitis ad swelling the epidermis. acellular oedema of the a cause perceptible health duce a contact dermatitis and swelling epidermis.

Legend:

✓ – Data required to make classification available

🗶 - Data available but does not fill the criteria for classification

🚫 – Data Not Available to make classification

CMR STATUS

Not Applicable

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

 Version No: 1.1
 Page 9 of 11
 Issue Date: 04/29/2021

 Print Date: 04/29/2021
 Print Date: 04/29/2021

FW-BCU N&A Black Currant Flavor

Ingredient	Endpoint	Test Duration	Effect	Value	Species	BCF
propylene glycol	Not Available					
iso-amyl acetate	Not Available					
isobutyl butyrate	Not Available					

Propylene glycol is known to exert high levels of biochemical oxygen demand (BOD) during degradation in surface waters. This process can adversely affect aquatic life by consuming oxygen needed by aquatic organisms for survival. Large quantities of dissolved oxygen (DO) in the water column are consumed when microbial populations decompose propylene glycol.

Sufficient dissolved oxygen levels in surface waters are critical for the survival of fish, macro-invertebrates, and other aquatic organisms.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
propylene glycol	LOW	LOW
iso-amyl acetate	LOW	LOW
isobutyl butyrate	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
propylene glycol	LOW (BCF = 1)
iso-amyl acetate	LOW (LogKOW = 2.264)
isobutyl butyrate	LOW (LogKOW = 2.7551)

Mobility in soil

Ingredient	Mobility
propylene glycol	HIGH (KOC = 1)
iso-amyl acetate	LOW (KOC = 32.24)
isobutyl butyrate	LOW (KOC = 62.3)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:


Product / Packaging disposal

- ▶ Reduction
- Reuse
- ▶ Recycling
- ▶ Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

SECTION 14 TRANSPORT INFORMATION

Labels Required



Land transport (DOT)

UN number	1197
Packing group	III
UN proper shipping name	Extracts, flavoring, liquid
Environmental hazard	No relevant data

Version No: 1.1 Page 10 of 11 Issue Date: 04/29/2021 Print Date: 04/29/2021

FW-BCU N&A Black Currant Flavor

Transport hazard Class 3 class(es) **Special precautions** Special provisions 149, IB2, T4, TP1, TP8 for user

* (ICAO IATA / DCB)

UN number	1197			
Packing group	III			
UN proper shipping name	Extracts, flavouring, liquid			
Environmental hazard	No relevant data	No relevant data		
Transport hazard class(es)	ICAO/IATA Class	3		
	ICAO / IATA Subrisk	Not Applicable		
	ERG Code	3L		
	Special provisions		А3	
	Cargo Only Packing Instructions		366	
	Cargo Only Maximum Qty / Pack		220 L	
Special precautions for user	Passenger and Cargo Packing Instructions		355	
tor user	Passenger and Cargo Maximum Qty / Pack		60 L	
	Passenger and Cargo Limited Quantity Packing Instructions		Y344	
	Passenger and Cargo	Limited Maximum Qty / Pack	10 L	

Sea transport (IMDG-Code / GGVSee)

UN number	1197		
Packing group	III		
UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID		
Environmental hazard	Not Applicable		
Transport hazard class(es)	IMDG Class 3 IMDG Subrisk Not Applicable		
Special precautions for user	EMS Number F-E , S-D Special provisions 223 955 Limited Quantities 5 L		

Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC code

Source	Ingredient	Pollution Category
IMO MARPOL 73/78 (Annex II) - List of Noxious Liquid Substances Carried in Bulk	iso-amyl acetate	Y

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

propylene glycol(57-55-6) is found on the following regulatory

"US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)", "US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values", "US AIHA Workplace Environmental Exposure Levels (WEELs)", "US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants", "US Toxic Substances Control Act (TSCA) -Chemical Substance Inventory"

 Version No: 1.1
 Page 11 of 11
 Issue Date: 04/29/2021

 Print Date: 04/29/2021
 Print Date: 04/29/2021

FW-BCU N&A Black Currant Flavor

lists "US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants", "US - Hawaii Air Contaminant Limits", "US -California Permissible Exposure Limits for Chemical Contaminants", "US - Idaho - Limits for Air Contaminants", "US - Vermont iso-amyl Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants", "US - Oregon Permissible Exposure Limits acetate(123-92-2) is (Z-1)","US - Michigan Exposure Limits for Air Contaminants","US - Alaska Limits for Air Contaminants","US - Washington found on the Permissible exposure limits of air contaminants", "US - Minnesota Permissible Exposure Limits (PELs)", "US - Vermont following regulatory Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants", "US ACGIH Threshold Limit Values lists (TLV)", "US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants", "US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory", "US OSHA Permissible Exposure Levels (PELs) - Table Z1" isobutyl butyrate(539-90-2) is "US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory" found on the following regulatory

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Υ
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	Y
Korea - KECI	Υ
New Zealand - NZIoC	Y
Philippines - PICCS	Υ
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.