# Capella

# SAFETY DATA SHEET

#### 1. Identification

**Product identifier POWERFUL SOUR TYPE N&A FL** 

Other means of identification

CA-1503 Product code

Use in accordance with supplier's recommendations. Recommended use

**Recommended restrictions** No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Capella Flavors, Inc.

1315 Hot Springs Way, Suite 112 **Address** 

> Vista, CA 92081 **United States**

Telephone Office: 760 650-0200

> Fax: n/a

Website www.capellaflavors.com

E-mail customerservice@capellaflavors.com

**Emergency phone number CHEMTREC** 800-424-9300

> INTERNATIONAL 703-741-5970

2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 1B

> Serious eye damage/eye irritation Category 1

**Environmental hazards** Not classified. Not classified. **OSHA** defined hazards

Label elements



Signal word Danger

**Hazard statement** Causes severe skin burns and eye damage. Causes serious eye damage.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. Wash contaminated clothing before reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Avoid eye contact or breathing dust, powder, mist or vapor from this product as irritation of the eyes or respiratory tract may result. This product contains ingredients for which the health effects

have not been fully evaluated.

Supplemental information 1% of the mixture consists of component(s) of unknown acute oral toxicity. 1% of the mixture

consists of component(s) of unknown acute dermal toxicity.

3. Composition/information on ingredients

**Mixtures** 

Material name: POWERFUL SOUR TYPE N&A FL CA-1503 Version #: 01 Issue date: 09-04-2018

Chemical name Common name and synonyn	ns CAS number	%
PROPYLENE GLYCOL NOM NFI	57-55-6	50 - < 60
LACTIC ACID LIQUID 88% NOP #101	79-33-4	30 - < 40
CITRIC ACID ANHYDROUS NFI	77-92-9	5 - < 10
MALIC ACID FINE GRANULAR NFI	6915-15-7	3-<5
ACETIC, GLACIAL #6 NOM	64-19-7	1-<3
PROPIONIC ACID #87	79-09-4	1-<3
PYRUVIC ACID #179	127-17-3	1-<3
TARTARIC ACID NAT #1054 NOP	1401-55-4	1-<3
Other components below reportable levels		1-<3

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Ingestion

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing

respiratory symptoms: Call a POISON CENTER or doctor/physician.

**Skin contact**Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately. Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

Call a physician of poson control center infinediately. Kinse mount of not induce vorniting

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

**Most important**Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

delayed blindness could result.

Indication of immediate

medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water

immediately. While flushing, remove clothes which do not adhere to affected area. Call an

ambulance. Continue flushing during transport to hospital. In case of shortness of breath, give

oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media Alcohol resistant foam. Powder. Carbon dioxide (CO2).

**Unsuitable extinguishing** Do not use water jet as an extinguisher, as this will spread the fire.

media

**Specific hazards arising from**During fire, gases hazardous to health may be formed. **the chemical** 

Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters

equipment/instructions

Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** No unusual fire or explosion hazards noted.

## Accidental release measures

Personal precautions, protective equipment and emergency procedures

Fire fighting

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Avoid inhalation of vapor, fumes, dust and/or mist from the spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

# Methods and materials for containment and cleaning up

Use water spray to reduce vapors or divert vapor cloud drift.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

#### **Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Value

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

Componente

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

# US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value		
ACETIC, GLACIAL #6 NOM (CAS 64-19-7)	PEL	25 mg/m3		
		10 ppm		
<b>US. ACGIH Threshold Limit Values</b>				
Components	Туре	Value		
ACETIC, GLACIAL #6 NOM (CAS 64-19-7)	STEL	15 ppm		
	TWA	10 ppm		
PROPIONIC ACID #87 (CAS 79-09-4)	TWA	10 ppm		
US. NIOSH: Pocket Guide to Chemic	cal Hazards			
Components	Туре	Value		
ACETIC, GLACIAL #6 NOM (CAS 64-19-7)	STEL	37 mg/m3		
		15 ppm		
	TWA	25 mg/m3		
		10 ppm		
PROPIONIC ACID #87 (CAS 79-09-4)	STEL	45 mg/m3		
		15 ppm		
	TWA	30 mg/m3		
		10 ppm		
US. Workplace Environmental Expo	sure Level (WEEL) Guides			
Components	Туре	Value	Form	
PROPYLENE GLYCOL NOM NFI (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.	

#### **Biological limit values**

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material considerations

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. **Form** Liquid. Color Not available. Odor Not available. Odor threshold Not available.

-74.2 °F (-59 °C) estimated Melting point/freezing point

Initial boiling point and boiling

range

На

370.76 °F (188.2 °C) estimated

Flash point > 200.0 °F (> 93.3 °C) Closed Cup

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Not available.

(%)

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure 0.14 hPa estimated

Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

700 °F (371.11 °C) estimated **Auto-ignition temperature** 

**Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Not explosive. **Explosive properties** 

Flammability class Combustible IIIB estimated

Not oxidizing. **Oxidizing properties** Refractive index 1.4135 - 1.4435 Specific gravity 1.11 - 1.14

#### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Material name: POWERFUL SOUR TYPE N&A FL CA-1503 Version #: 01 Issue date: 09-04-2018 Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

#### 11. Toxicological information

#### Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. Eye contact Causes serious eye damage. Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

**Acute toxicity** Not known.

Components **Species Test Results** 

MALIC ACID FINE GRANULAR NFI (CAS 6915-15-7)

> Acute Oral

LD50 Rat > 3200 mg/kg

\* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

TARTARIC ACID NAT #1054 NOP (CAS 1401-55-4) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ACETIC, GLACIAL #6 NOM -0.17 PROPIONIC ACID #87 0.33 PROPYLENE GLYCOL NOM NFI -0.92

No data available. Mobility in soil

Material name: POWERFUL SOUR TYPE N&A FL CA-1503 Version # 01 Issue date: 09-04-2018 Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not established.

#### 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

ACETIC, GLACIAL #6 NOM (CAS 64-19-7) Listed. PROPIONIC ACID #87 (CAS 79-09-4) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Material name: POWERFUL SOUR TYPE N&A FL

CA-1503 Version #: 01 Issue date: 09-04-2018

6/7

#### FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

ACETIC, GLACIAL #6 NOM (CAS 64-19-7) High priority PROPIONIC ACID #87 (CAS 79-09-4) High priority

**US state regulations**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region Inventory name On inventory (yes/no)\* Australia Australian Inventory of Chemical Substances (AICS) Yes Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No China Inventory of Existing Chemical Substances in China (IECSC) Yes European Inventory of Existing Commercial Chemical No Europe Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Europe No Inventory of Existing and New Chemical Substances (ENCS) Japan Nο Korea Existing Chemicals List (ECL) No New Zealand New Zealand Inventory Yes Philippines Philippine Inventory of Chemicals and Chemical Substances Yes (PICCS) United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

# 16. Other information, including date of preparation or last revision

**Issue date** 09-04-2018

Version # 01

Disclaimer Capella Flavors, Inc. cannot anticipate all conditions under which this information and its product, or

the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

**Revision information**This document has undergone significant changes and should be reviewed in its entirety.

Material name: POWERFUL SOUR TYPE N&A FL CA-1503 Version #: 01 Issue date: 09-04-2018

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).