

Revision nr.4 Dated 24/02/2022 Printed on 04/05/2022 Page n. 1 / 11 Replaced revision:3 (Dated 22/10/2021)

FA1262 - Tropyc flavour

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

1. Product identifier				
Code:		FA1262		
Product name		Tropyc fla	avour	
2. Relevant identified	uses of the substance o	r mixture and	uses advised against	
Intended use		Flavour		
.3. Details of the suppl	ier of the safety data she	eet		
Name		FLAVOUF	RART SRL	
Full address		Via Delle	Industrie 26	
District and Country		28047	Oleggio	(NO)
		.	Italia	
		Tel. Fax	+39 0321 960553 +39 0321 204549	
e-mail address of the c	competent person	Γαλ	· J9 UJZ I ZU4049	
responsible for the Saf		supporto(@flavourart.it	
.4. Emergency telepho	ne number			
For urgent inquiries ref	fer to	+39 0321	960553	
- •		NHS 111		
The product is classifie amendments and supp 2020/878.	ed as hazardous pursuant elements). The product thu	is requires a sat	fety datasheet that con	ulation 1272/2008 (CLP) (and subsequent applies with the provisions of (EU) Regulation
The product is classifie amendments and supp 2020/878. Any additional informat Hazard classification a	ed as hazardous pursuant elements). The product thu tion concerning the risks fo nd indication:	is requires a sat	fety datasheet that con	nplies with the provisions of (EU) Regulation iven in sections 11 and 12 of this sheet.
The product is classifie amendments and supp 2020/878. Any additional informat Hazard classification a Skin sensitization, o	ed as hazardous pursuant elements). The product thu tion concerning the risks fo nd indication:	is requires a sat	fety datasheet that con	nplies with the provisions of (EU) Regulation
The product is classifie amendments and supp 2020/878. Any additional informat Hazard classification a Skin sensitization, o	ed as hazardous pursuant elements). The product thu tion concerning the risks fo nd indication: category 1	us requires a sai	fety datasheet that con the environment are g H317	nplies with the provisions of (EU) Regulation iven in sections 11 and 12 of this sheet. May cause an allergic skin reaction.
amendments and supp 2020/878. Any additional informat Hazard classification a Skin sensitization, o 2.2. Label elements	ed as hazardous pursuant elements). The product thu tion concerning the risks fo nd indication:	us requires a sai	fety datasheet that con the environment are g H317	nplies with the provisions of (EU) Regulation iven in sections 11 and 12 of this sheet. May cause an allergic skin reaction.
The product is classifie amendments and supp 2020/878. Any additional informat Hazard classification a Skin sensitization, o 2.2. Label elements Hazard labelling pursua	ed as hazardous pursuant elements). The product thu tion concerning the risks fo nd indication: category 1	us requires a sai	fety datasheet that con the environment are g H317	nplies with the provisions of (EU) Regulation iven in sections 11 and 12 of this sheet. May cause an allergic skin reaction.
The product is classifie amendments and supp 2020/878. Any additional informat Hazard classification a Skin sensitization, o 2.2. Label elements Hazard labelling pursua	ed as hazardous pursuant elements). The product thu tion concerning the risks fo nd indication: category 1	us requires a sai	fety datasheet that con the environment are g H317	nplies with the provisions of (EU) Regulation iven in sections 11 and 12 of this sheet. May cause an allergic skin reaction.
The product is classifie amendments and supp 2020/878. Any additional informat Hazard classification a Skin sensitization, o 2.2. Label elements Hazard labelling pursus Hazard pictograms:	ed as hazardous pursuant olements). The product thu tion concerning the risks fo nd indication: category 1 ant to EC Regulation 1272	us requires a sa or health and/or 2/2008 (CLP) ar	fety datasheet that con r the environment are g H317 nd subsequent amendr	nplies with the provisions of (EU) Regulation iven in sections 11 and 12 of this sheet. May cause an allergic skin reaction.
The product is classifie amendments and supp 2020/878. Any additional informat Hazard classification a Skin sensitization, o 2.2. Label elements Hazard labelling pursus Hazard pictograms: Signal words: Hazard statements:	ed as hazardous pursuant olements). The product thu tion concerning the risks for nd indication: category 1 ant to EC Regulation 1272 Warning May cause an allergi	us requires a sa or health and/or 2/2008 (CLP) ar	fety datasheet that con r the environment are g H317 nd subsequent amendr	nplies with the provisions of (EU) Regulation iven in sections 11 and 12 of this sheet. May cause an allergic skin reaction.
The product is classifie amendments and supp 2020/878. Any additional informat Hazard classification a Skin sensitization, o 2.2. Label elements Hazard labelling pursus Hazard pictograms: Mazard pictograms: Signal words: Hazard statements: H317 Precautionary stateme P280	ed as hazardous pursuant plements). The product thu tion concerning the risks for nd indication: category 1 ant to EC Regulation 1272 Warning May cause an allergi ints: Wear protective glov	us requires a sai or health and/or 2/2008 (CLP) ar ic skin reaction. es.	fety datasheet that con r the environment are g H317 nd subsequent amendr	nplies with the provisions of (EU) Regulation iven in sections 11 and 12 of this sheet. May cause an allergic skin reaction. nents and supplements.
The product is classifie amendments and supp 2020/878. Any additional informat Hazard classification a Skin sensitization, o 2.2. Label elements Hazard labelling pursus Hazard pictograms: Wazard pictograms: Signal words: Hazard statements: H317 Precautionary stateme P280 P501	ed as hazardous pursuant olements). The product thu tion concerning the risks for nd indication: category 1 ant to EC Regulation 1272 Warning May cause an allergi onts: Wear protective glow Dispose of contents of	us requires a sai or health and/or 2/2008 (CLP) ar 2/2008 (CLP) ar c skin reaction. es. / container in ac	fety datasheet that con r the environment are g H317 nd subsequent amendr	nplies with the provisions of (EU) Regulation iven in sections 11 and 12 of this sheet. May cause an allergic skin reaction. nents and supplements.
The product is classifie amendments and supp 2020/878. Any additional informat Hazard classification a Skin sensitization, of 2.2. Label elements Hazard labelling pursus Hazard pictograms: Hazard pictograms: Signal words: Hazard statements: H317 Precautionary stateme P280 P501 P102	ed as hazardous pursuant olements). The product thu tion concerning the risks for nd indication: category 1 ant to EC Regulation 1272 Warning May cause an allergi onts: Wear protective glov Dispose of contents of Keep out of reach of	us requires a sai or health and/or 2/2008 (CLP) ar 2/2008 (CLP) ar	fety datasheet that con r the environment are g H317 nd subsequent amendr	nplies with the provisions of (EU) Regulation iven in sections 11 and 12 of this sheet. May cause an allergic skin reaction. nents and supplements.
The product is classifie amendments and supp 2020/878. Any additional informat Hazard classification a Skin sensitization, of 2.2. Label elements Hazard labelling pursus Hazard pictograms: Water of the sense Hazard statements: Hazard statements: H317 Precautionary statement P280 P501 P102 P261	ed as hazardous pursuant olements). The product thu tion concerning the risks for nd indication: category 1 ant to EC Regulation 1272 warning May cause an allergi may cause an allergi ents: Wear protective glov Dispose of contents of Keep out of reach of Avoid breathing dust	us requires a sai or health and/or 2/2008 (CLP) ar 2/2008 (CLP) ar 2/2008 (CLP) ar 2/2008 (CLP) ar 2/2008 (CLP) ar 2/2008 (CLP) ar 3/2	fety datasheet that con the environment are g H317 nd subsequent amendr ccordance with local re nist / vapours / spray.	nplies with the provisions of (EU) Regulation iven in sections 11 and 12 of this sheet. May cause an allergic skin reaction. nents and supplements.
The product is classifie amendments and supp 2020/878. Any additional informat Hazard classification a Skin sensitization, of 2.2. Label elements Hazard labelling pursus Hazard pictograms: Hazard pictograms: Signal words: Hazard statements: H317 Precautionary stateme P280 P501 P102	ed as hazardous pursuant olements). The product thu tion concerning the risks for nd indication: category 1 ant to EC Regulation 1272 warning May cause an allergi mas: Wear protective glov Dispose of contents of Keep out of reach of Avoid breathing dust If skin irritation or ras	us requires a sai or health and/or 2/2008 (CLP) ar 2/2008 (CLP) ar 2/2008 (CLP) ar 2/2008 (CLP) ar 2/2008 (CLP) ar 2/2008 (CLP) ar 3/2008 (CLP	fety datasheet that con r the environment are g H317 nd subsequent amendr	nplies with the provisions of (EU) Regulation iven in sections 11 and 12 of this sheet. May cause an allergic skin reaction. nents and supplements.

ΕN



FA1262 - Tropyc flavour

Revision nr.4 Dated 24/02/2022 Printed on 04/05/2022 Page n. 2 / 11 Replaced revision:3 (Dated 22/10/2021)

SECTION 2. Hazards identification ... / >>

Contains:

Lime essential oil Furaneol Lime essential oil

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq 0.1\%$.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc	.% Class	ification (EC) 1272/2008 (CLP)
Lime essentia		1 10 5 4 1 10	Flow Lie 2,1000 Acr. Toy 4,1004 Fue with 0,1040 Okie with 0,1045 Okie
CAS	68916-84-7	1,12 ≤ x < 1,16	Flam. Liq. 3 H226, Asp. Tox. 1 H304, Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411
EC INDEX	290-010-3		
REACH Reg.	02-2119582166-34	-0000	
Lime essentia			
CAS	68916-84-7	0,55 ≤ x < 0,6	Asp. Tox. 1 H304, Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411
EC INDEX	290-010-3		
REACH Reg.	02-2119582166-34	-0000	
Furaneol			
CAS	3658-77-3	0,11 ≤ x < 0,16	Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1 H317
EC	222-908-8		LD50 Oral: 1608
INDEX			
REACH Reg.	01-2120754473-52	2-XXXX	
Ethyl Acetate			
CAS	141-78-6	0,07 ≤ x < 0,12	Flam. Liq. 2 H225, Eye Irrit. 2 H319, STOT SE 3 H336, EUH066
EC	205-500-4		
INDEX	607-022-00-5		
REACH Reg.	01-2119475103-46	3	

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available



FA1262 - Tropyc flavour

Revision nr.4 Dated 24/02/2022 Printed on 04/05/2022 Page n. 3 / 11 Replaced revision:3 (Dated 22/10/2021)

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

10

Storage class TRGS 510 (Germany):

7.3. Specific end use(s)

Information not available



FLAVOURART SRL FA1262 - Tropyc flavour

Revision nr.4 Dated 24/02/2022 Printed on 04/05/2022 Page n. 4 / 11 Replaced revision:3 (Dated 22/10/2021)

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające
		rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych
		dla zdrowia w środowisku pracy
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU)
		2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive
		2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

				Ethy	I Acetate		
Threshold Limit	Value						
Туре	Country	TWA/8h		STEL/15	min	Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
AGW	DEU	730	200	1460	400		
VLA	ESP	734	200	1460	400		
VLEP	FRA	734	200	1468	400		
NDS/NDSCh	POL	734		1468			
WEL	GBR	730	200	1460	400		
OEL	EU	734	200	1468	400		

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.



FA1262 - Tropyc flavour

Revision nr.4 Dated 24/02/2022 Printed on 04/05/2022 Page n. 5 / 11 Replaced revision:3 (Dated 22/10/2021)

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

Information



FA1262 - Tropyc flavour

Revision nr.4 Dated 24/02/2022 Printed on 04/05/2022 Page n. 6 / 11 Replaced revision:3 (Dated 22/10/2021)

SECTION 11. Toxicological information ... / >>

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

> Ethyl Acetate LD50 (Oral):

Furaneol LD50 (Oral):

Lime essential oil LD50 (Dermal): LD50 (Oral):

Lime essential oil LD50 (Dermal): LD50 (Oral): Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)

4900 mg/kg Rabbit

1608 mg/kg Rat

> 5000 mg/kg rabbit 4400 mg/kg rat

> 5000 mg/kg rabbit

4400 mg/kg rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Respiratory sensitization

Information not available

Skin sensitization

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY



FA1262 - Tropyc flavour

Revision nr.4 Dated 24/02/2022 Printed on 04/05/2022 Page n. 7 / 11 Replaced revision:3 (Dated 22/10/2021)

SECTION 11. Toxicological information .../>>

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Furaneol EC50 - for Crustacea

6,8 mg/l/48h

12.2. Persistence and degradability

Information not available

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil



FLAVOURART SRL FA1262 - Tropyc flavour

Revision nr.4 Dated 24/02/2022 Printed on 04/05/2022 Page n. 8 / 11 Replaced revision:3 (Dated 22/10/2021)

SECTION 12. Ecological information ... / >>

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant



FA1262 - Tropyc flavour

Revision nr.4 Dated 24/02/2022 Printed on 04/05/2022 Page n. 9 / 11 Replaced revision:3 (Dated 22/10/2021)

SECTION 15. Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Seveso Category - Directive 2012/18/EU: None
Product Product Point 3 - 40
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors Not applicable
Substances in Candidate List (Art. 59 REACH) On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.
Substances subject to authorisation (Annex XIV REACH) None
Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None
Substances subject to the Rotterdam Convention: None
Substances subject to the Stockholm Convention: None
Healthcare controls Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017) WGK 2: Hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Acute Tox. 4 Asp. Tox. 1 Skin Corr. 1B Eye Irrit. 2 Skin Sens. 1 STOT SE 3 Aquatic Chronic 2 H225 H302 H304 H314 H319 H317 H336	Flammable liquid, category 2 Acute toxicity, category 4 Aspiration hazard, category 1 Skin corrosion, category 1B Eye irritation, category 2 Skin sensitization, category 2 Skin sensitization, category 1 Specific target organ toxicity - single exposure, category 3 Hazardous to the aquatic environment, chronic toxicity, category 2 Highly flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes serious eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. Tavis to espurit life with large lefts to
H411	Toxic to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

- ATE: Acute Toxicity Estimate



FLAVOURART SRL FA1262 - Tropyc flavour

Revision nr.4 Dated 24/02/2022 Printed on 04/05/2022 Page n. 10 / 11 Replaced revision:3 (Dated 22/10/2021)

SECTION 16. Other information ... / >>

- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.



Revision nr.4 Dated 24/02/2022 Printed on 04/05/2022 Page n. 11 / 11 Replaced revision:3 (Dated 22/10/2021)

FA1262 - Tropyc flavour

SECTION 16. Other information ... / >>

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 09 / 11 / 12 / 16.